

St. Clair County Road Commission &  
St. Clair County Drain Commission

PROPOSAL  
Corrugated Metal Pipe  
With Polymer Coating

In strict accordance with your requirements and Michigan Department of Transportation specifications, we the undersigned, respectfully submit the following prices for the calendar year of 2008.

QUOTATIONS FOR REFORMING ENDS

AND PROVIDING HUGGER BANDS OR ANNULAR

AND/OR DIMPLE USE "FORM 2".

FORM - 1

<u>DIAMETER</u> <u>ROUND</u>	<u>CORRUGATION</u>	<u>GAGE</u>	<u>HELICAL</u> <u>CORRUGATION</u>
12"	2-2/3" x 1/2"	14	_____
12"	2-2/3" x 1/2"	16	_____
15"	2-2/3" x 1/2"	14	_____
15"	2-2/3" x 1/2"	16	_____
18"	2-2/3" x 1/2"	14	_____
18"	2-2/3" x 1/2"	16	_____
24"	2-2/3" x 1/2"	14	_____
24"	2-2/3" x 1/2"	16	_____
30"	2-2/3" x 1/2"	14	_____
36"	2-2/3" x 1/2"	14	_____
42"	2-2/3" x 1/2"	14	_____
48"	3" x 1"	14	_____
60"	3" x 1"	12	_____
72"	3" x 1"	10	_____
<u>LOW ARCH</u>			
53" x 41"	3" x 1"	12	_____
73" x 55"	3" x 1"	10	_____
81" x 59'	3" x 1"	10	_____
95" x 67"	3" x 1"	10	_____

St. Clair County Road Commission &  
St. Clair County Drain Commission

PROPOSAL

Corrugated Metal Pipe  
With Polymer Coating

<u>LOW ARCH</u> Con't	<u>CORRUGATION</u>	<u>GAGE</u>	<u>HELICAL</u> <u>CORRUGATION</u>
103" x 71"	3" x 1"	8	_____
117" x 79"	3" x 1"	8	_____
128" x 83"	3" x 1"	8	_____

A complete price list must be included for above pipe. Be sure to add any applicable discounts.

ALL PROPOSALS MUST BE SIGNED BY A PERSON AUTHORIZED TO BIND THE COMPANY TO ITS CONTENTS. IF PROVIDED, ROAD COMMISSION PROPOSAL FORMS MUST BE USED. ANY ALTERATIONS TO THIS FORM WILL RENDER THE PROPOSAL VOID. IF ADDITIONAL OR CHANGED INFORMATION IS NEEDED, IT MUST BE DONE USING AN ATTACHED SHEET AND MARKED AS SUCH.

Name: \_\_\_\_\_  
(Signature)

Name: \_\_\_\_\_  
(Printed or Typed)

Title: \_\_\_\_\_

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

e-mail address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

Date: \_\_\_\_\_

St. Clair County Road Commission &  
St. Clair County Drain Commission

PROPOSAL  
Corrugated Metal Pipe  
With Polymer Coating

In strict accordance with your requirements and Michigan Department of Transportation specifications, we the undersigned, respectfully submit the following prices for the calendar year of 2008.

QUOTATIONS FOR REFORMING ENDS  
AND PROVIDING HUGGER BANDS OR  
ANNULAR BANDS.

FORM - 2

<u>DIAMETER</u> <u>ROUND</u>	<u>CORRUGATION</u>	<u>GAGE</u>	<u>REFORMING</u> <u>COST</u>	<u>ANNULAR</u> <u>&amp;/OR DIMPLE</u> <u>BAND COST</u>	<u>HUGGER OR</u> <u>CHANNEL</u> <u>BAND COST</u>
12"	2-2/3" x 1/2"	14	_____	_____	_____
12"	2-2/3" x 1/2"	16	_____	_____	_____
15"	2-2/3" x 1/2"	14	_____	_____	_____
15"	2-2/3" x 1/2"	16	_____	_____	_____
18"	2-2/3" x 1/2"	14	_____	_____	_____
18"	2-2/3" x 1/2"	16	_____	_____	_____
24"	2-2/3" x 1/2"	14	_____	_____	_____
24"	2-2/3" x 1/2"	16	_____	_____	_____
30"	2-2/3" x 1/2"	14	_____	_____	_____
36"	2-2/3" x 1/2"	12	_____	_____	_____
42"	2-2/3" x 1/2"	12	_____	_____	_____
48"	3" x 1"	14	_____	_____	_____
60"	3" x 1"	14	_____	_____	_____
72"	3" x 1"	14	_____	_____	_____
<u>LOW ARCH</u>					
53" x 41"	3" x 1"	14	_____	_____	_____
73" x 55"	3" x 1"	14	_____	_____	_____
81" x 59'	3" x 1"	14	_____	_____	_____

St. Clair County Road Commission &  
St. Clair County Drain Commission

PROPOSAL

Corrugated Metal Pipe  
With Polymer Coating

<u>LOW ARCH</u>	<u>CORRUGATION</u>	<u>GAGE</u>	<u>REFORMING COST</u>	<u>ANNULAR &amp;/OR DIMPLE BAND COST</u>	<u>HUGGER OR CHANNEL BAND COST</u>
95" x 67"	3" x 1"	12	_____	_____	_____
103" x 71"	3" x 1"	12	_____	_____	_____
117" x 79"	3" x 1"	12	_____	_____	_____
128" x 83"	3" x 1"	10	_____	_____	_____
103" x 71"	3" x 1"	8	_____	_____	_____
117" x 79"	3" x 1"	8	_____	_____	_____
128" x 83"	3" x 1"	8	_____	_____	_____

ALL PROPOSALS MUST BE SIGNED BY A PERSON AUTHORIZED TO BIND THE COMPANY TO ITS CONTENTS. IF PROVIDED, ROAD COMMISSION PROPOSAL FORMS MUST BE USED. ANY ALTERATIONS TO THIS FORM WILL RENDER THE PROPOSAL VOID. IF ADDITIONAL OR CHANGED INFORMATION IS NEEDED, IT MUST BE DONE USING AN ATTACHED SHEET AND MARKED AS SUCH.

Name: \_\_\_\_\_  
(Signature)

Name: \_\_\_\_\_  
(Printed or Typed)

Title: \_\_\_\_\_

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

e-mail address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

Date: \_\_\_\_\_

St. Clair County Road Commission &  
St. Clair County Drain Commission

SPECIFICATIONS

Corrugated Metal Pipe

NOTE: This item is being bid jointly with the St. Clair  
County Drain Commission

Sealed bids will be received at the office of the Board of County Road Commissioners of the County of St. Clair, 21 Airport Drive, St. Clair, Michigan 48079, until 1:00 p.m., local prevailing time, WEDNESDAY, JANUARY 16, 2008 for furnishing 2008 requirements of the following material.

CORRUGATED METAL PIPE

Quote on sizes 12" thru 96" diameter.  
Quote on sizes of multi-plate pipe arch.  
Quote on sizes of round pipe factory formed low arch.  
Quote prices on above for helical corrugation for 2-2/3" x 1/2" and 3" x 1".

To be considered as a responsible bidder, you must provide a price list of complete product line availability and discount rates applicable for each product line. Road Commission proposal forms are to be used also. (Form-1 and Form-2)

Sizes 12" to 36" diameter helical pipe shall be available with recorrugated ends to accept annular, hugger or channel bands. Both round and low arch pipe shall be available in one continuous section up to 52' in length. In sizes larger than 36", recorrugated ends with annular or hugger bands are preferred for joining sections to make pipe longer than 52'. An alternative acceptable method will be a 2' band cut from the end section of one of the tubes to be joined, halved, then joined by hardened threaded rod spanning 2 pair of flanges welded or riveted to the halves.

Lifting lugs to manufacturer's specifications shall be included on all tubes of 60" or equivalent low arch pipe or larger.

Each shipment shall include a Mill Analysis Certification matching all metal used in that shipment.

Any damaged galvanization shall be treated per state specifications.

If there is additional cost for reforming and/or flanging ends, please submit. Also provide prices for various types of bands.

St. Clair County Road Commission &  
St. Clair County Drain Commission

SPECIFICATIONS

Corrugated Metal Pipe

ALTERNATE PROPOSAL

Assuming that lower unit prices & quicker deliveries may be obtained by mass producing standard lengths, quote unit price per foot for the following diameters for each gauge listed 12", 15", 18", 24", 36". Suggested standard lengths are: 24 ft., 30 ft., 36 ft., & 42 ft. If you are bidding on this alternate, submit a separate proposal for as many combinations as you wish to offer. Clearly mark the proposal "ALTERNATE" in capital printed letters diagonally in the upper left portion. If the industry has categorized a standard length, you may so propose. Write the length in front of the diameter; e.g., 24 ft. X 12", 24 ft. X 18", etc.

RIGHT TO REJECT

The Road Commission may award bids in whole or parts thereof, reserve the right to reject any and all proposals, waive irregularities in any bid and make award in any manner deemed in the best interest of the Road Commission.

MUTUAL EXTENSION CLAUSE

This bid, by mutual agreement of both parties, may be extended for additional one-year periods, each year hereafter but not to exceed a maximum of two additional years. Requests for contract extensions must be in writing and received by the Road Commission no later than December 31st of each year.

St. Clair County Road Commission &  
St. Clair County Drain Commission

PROPOSAL

Corrugated Metal Pipe

In strict accordance with your requirements and Michigan Department of Transportation specifications, we the undersigned, respectfully submit the following prices for the calendar year of 2008.

QUOTATIONS FOR REFORMING ENDS

AND PROVIDING HUGGER BANDS OR ANNULAR

FORM - 1

AND/OR DIMPLE USE "FORM 2".

<u>DIAMETER ROUND</u>	<u>CORRUGATION</u>	<u>GAGE</u>	<u>HELICAL CORRUGATION</u>
12"	2-2/3" x 1/2"	14	_____
12"	2-2/3" x 1/2"	16	_____
15"	2-2/3" x 1/2"	14	_____
15"	2-2/3" x 1/2"	16	_____
18"	2-2/3" x 1/2"	14	_____
18"	2-2/3" x 1/2"	16	_____
24"	2-2/3" x 1/2"	14	_____
24"	2-2/3" x 1/2"	16	_____
30"	2-2/3" x 1/2"	14	_____
36"	2-2/3" x 1/2"	14	_____
42"	2-2/3" x 1/2"	14	_____
48"	3" x 1"	14	_____
60"	3" x 1"	12	_____
72"	3" x 1"	10	_____
<u>LOW ARCH</u>			
53" x 41"	3" x 1"	12	_____
73" x 55"	3" x 1"	10	_____
81" x 59'	3" x 1"	10	_____
95" x 67"	3" x 1"	10	_____

St. Clair County Road Commission &  
St. Clair County Drain Commission

PROPOSAL

Corrugated Metal Pipe

<u>LOW ARCH</u> Con't	<u>CORRUGATION</u>	<u>GAGE</u>	<u>HELICAL</u> <u>CORRUGATION</u>
103" x 71"	3" x 1"	8	_____
117" x 79"	3" x 1"	8	_____
128" x 83"	3" x 1"	8	_____

A complete price list must be included for above pipe. Be sure to add any applicable discounts.

ALL PROPOSALS MUST BE SIGNED BY A PERSON AUTHORIZED TO BIND THE COMPANY TO ITS CONTENTS. IF PROVIDED, ROAD COMMISSION PROPOSAL FORMS MUST BE USED. ANY ALTERATIONS TO THIS FORM WILL RENDER THE PROPOSAL VOID. IF ADDITIONAL OR CHANGED INFORMATION IS NEEDED, IT MUST BE DONE USING AN ATTACHED SHEET AND MARKED AS SUCH.

Name: \_\_\_\_\_  
(Signature)

Name: \_\_\_\_\_  
(Printed or Typed)

Title: \_\_\_\_\_

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

e-mail address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

Date: \_\_\_\_\_

St. Clair County Road Commission &  
St. Clair County Drain Commission

PROPOSAL

Corrugated Metal Pipe

In strict accordance with your requirements and Michigan Department of Transportation specifications, we the undersigned, respectfully submit the following prices for the calendar year of 2008.

QUOTATIONS FOR REFORMING ENDS  
AND PROVIDING HUGGER BANDS OR  
ANNULAR BANDS.

FORM - 2

<u>DIAMETER</u> <u>ROUND</u>	<u>CORRUGATION</u>	<u>GAGE</u>	<u>REFORMING</u> <u>COST</u>	<u>ANNULAR</u> <u>&amp;/OR DIMPLE</u> <u>BAND COST</u>	<u>HUGGER OR</u> <u>CHANNEL</u> <u>BAND COST</u>
12"	2-2/3" x 1/2"	14	_____	_____	_____
12"	2-2/3" x 1/2"	16	_____	_____	_____
15"	2-2/3" x 1/2"	14	_____	_____	_____
15"	2-2/3" x 1/2"	16	_____	_____	_____
18"	2-2/3" x 1/2"	14	_____	_____	_____
18"	2-2/3" x 1/2"	16	_____	_____	_____
24"	2-2/3" x 1/2"	14	_____	_____	_____
24"	2-2/3" x 1/2"	16	_____	_____	_____
30"	2-2/3" x 1/2"	14	_____	_____	_____
36"	2-2/3" x 1/2"	12	_____	_____	_____
42"	2-2/3" x 1/2"	12	_____	_____	_____
48"	3" x 1"	14	_____	_____	_____
60"	3" x 1"	14	_____	_____	_____
72"	3" x 1"	14	_____	_____	_____
<u>LOW ARCH</u>					
53" x 41"	3" x 1"	14	_____	_____	_____
73" x 55"	3" x 1"	14	_____	_____	_____
81" x 59'	3" x 1"	14	_____	_____	_____

St. Clair County Road Commission &  
 St. Clair County Drain Commission

PROPOSAL

Corrugated Metal Pipe

<u>LOW ARCH</u>	<u>CORRUGATION</u>	<u>GAGE</u>	<u>REFORMING COST</u>	<u>ANNULAR &amp;/OR DIMPLE BAND COST</u>	<u>HUGGER OR CHANNEL BAND COST</u>
95" x 67"	3" x 1"	12	_____	_____	_____
103" x 71"	3" x 1"	12	_____	_____	_____
117" x 79"	3" x 1"	12	_____	_____	_____
128" x 83"	3" x 1"	10	_____	_____	_____

ALL PROPOSALS MUST BE SIGNED BY A PERSON AUTHORIZED TO BIND THE COMPANY TO ITS CONTENTS. IF PROVIDED, ROAD COMMISSION PROPOSAL FORMS MUST BE USED. ANY ALTERATIONS TO THIS FORM WILL RENDER THE PROPOSAL VOID. IF ADDITIONAL OR CHANGED INFORMATION IS NEEDED, IT MUST BE DONE USING AN ATTACHED SHEET AND MARKED AS SUCH.

Name: \_\_\_\_\_  
 (Signature)

Name: \_\_\_\_\_  
 (Printed or Typed)

Title: \_\_\_\_\_

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_  
 \_\_\_\_\_

e-mail address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Fax Number: \_\_\_\_\_

Date: \_\_\_\_\_